

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	29-09-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-09-2026 12:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health Research
संगठन का नाम/Organisation Name	Indian Council Of Medical Research (icmr)
कार्यालय का नाम/Office Name	Hyderabad
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id : Buyer Email id: pramod.mini@icmr.gov.in
कुल मात्रा/Total Quantity	29
वस्तु श्रेणी /Item Category	Signage Board (V4) (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	4.37 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	GeM verified turnover
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Signage Board (V4)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	874380
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	4.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

14

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

The Director, ICMR-NIPCR

Hyderabad, Department of Health Research, Indian Council of Medical Research (ICMR), Ministry of Health and Family Welfare

(The Director, Icmr-nipcr)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any

purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Signage Board (V4) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	1	30

Signage Board (V4) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	1	30

Signage Board (V4) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	1	30

Signage Board (V4) (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	4	30

Signage Board (V4) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	1	30

Signage Board (V4) (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	10	30

Signage Board (V4) (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	8	30

Signage Board (V4) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	1	30

Signage Board (V4) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	1	30

Signage Board (V4) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	Type of Signage Board	Non-illuminated Signage Board, Glow/illuminated Signage Board
	Lighting Option in Signage Board	LED Backlit, LED Frontlit, Tube Light, Without Lighting
	Material of Signage Board	ACP (Aluminium Composite Panel), Acrylic, PVC Foam Board, Stainless Steel (SS), Aluminum, Sunboard / Foam Sheet, Flex / Vinyl Boards, CRCA Mild Steel Sheet
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Aluminium, Mild Steel (MS) – Powder Coated, Stainless Steel (SS), Galvanized Iron (GI), PVC, NA (In case of No frame)
	Mounting Type	Wall Mounted, Pole Mounted, Hanging Type, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Buyer ATC shall prevail for technical evaluation. Bidders may provide the literature and sample picture to assess the standards	The customized specification is indicated at Buyer ATC at S.No.16 and shall be considered for technical evaluation.

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chelimilla Prabhu	500101,ICMR-National Institute for Pre-Clinical Research (Erstwhile ICMR-National Animal Resource Facility for Biomedical Research, Genome Valley Shamirpet (M), Hyderabad, Telangana - 500 101	1	30

Special terms and conditions-Version:1 effective from 08-10-2025 for category Signage Board (V4)

1. Note to Buyers and Sellers:

1. This category operates exclusively through the BID process. All procurements will be conducted via this mode only.
2. Buyer may provide additional requirements at the time of BID creation.
3. The requirements may include Logos, Graphics, Text, Font Style, Font Size, and Layout in accordance with the catalog specifications and size option selected.
4. The Buyer may ensure accuracy of the information provided (spelling, formatting, and design) and Seller shall reproduce the details exactly as received.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.
4. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any

responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

7. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

8. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

9. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

10. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

11. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

12. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

13. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Tender Inviting Authority: This tender enquiry for procurement of office and research consumables as per the specification schedule is being invited by the Director, ICMR-NIPCR, Hyderabad to be supplied at the Institute.
2. Bidders needs to sign a Bid securing declaration accepting that if they withdraw or modify their Bids during the period of validity, or if they are awarded the contract and they fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids/request for proposals document, they will be suspended for the period of 1 year for bids/request for proposals document from being eligible to submit Bids/Proposals for contracts with ICMR-NIPCR.
3. Eligibility: The Bidder must be a Manufacturer or its authorized Agent.
4. One Bid per Bidder: A firm shall submit only one bid either individually or as a partner of a joint venture. A firm that submits either individually or, as a member of a joint venture, more than one bid will cause all the proposals with the firm's participation to be disqualified.
5. ICMR-NIPCR reserves the right to cancel the bid in part or full without assigning any reason and liability on the buyer. On such cancellation the decision of the Director, ICMR-NIPCR will be binding and final on the subject.
6. Inspections and Tests: ICMR-NIPCR or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications. Further, The Supplier may have an independent quality test conducted and the cost of such tests will be borne by the Supplier. b. Inspection of goods shall be carried out by representative of ICMR-NIPCR and they will issue an acceptance certificate.
7. Packing:
 - (a) The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt, and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods, final destination and the absence of heavy handling facilities at all points in transit
 - (b) The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements strictly as per Technical Specifications, and in any subsequent instructions ordered by the Procurement agency.
 - (c) Packing and Marking shall be strictly as per Technical Specifications and will be inspected in terms of provisions of specifications before clearing for dispatch.
8. Payment: 100% payment shall be made after receipt of complete goods/Equipment in good condition, acceptance and successful installation of goods/Equipment and subject to submission of Performance Bank Guarantee. This payment is subject to recoveries, if any, either on account of statutory deduction/ taxes/ Liquidated Damages, if any and non-rectification of defects/ deficiencies not attended by the Supplier or otherwise. The firm is required to submit the following documents to ICMR-NIPCR, Hyderabad for payment:
 - (a) Copy of Purchase Order;
 - (b) Copy of Extension Order (if any);
 - (c) Invoice in original showing contract number, goods description, quantity, unit price and total amount;
 - (d) Installation Report in original duly signed and sealed by the authorized officer of the consignee;
 - (e) Acknowledgement of Receipt of Goods issued by the consignee Institute/ Center;
 - (f) Performance Bank Guarantee
9. Settlement of Disputes: (a) If any dispute or difference of any kind whatsoever shall arise between the Procurement agency and the Supplier in connection with or arising out of the Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
 - (b) If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procurement agency or the Supplier may give notice to the other party of its int

ention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.

(c) Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract. In the case of a dispute or difference arising between the Purchaser/Consignee and a domestic Supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the sole arbitrator appointed by Director, IC MR-NIPCR.

(d) Arbitration proceedings shall be conducted in accordance with the rules of procedure which are as follows.

(i) The venue of Arbitration shall be the place from where the contract is issued and the language of the arbitration proceedings and that of all councils and communications between the parties shall be English.

(ii) The decision of the majority of arbitrators shall be final and binding upon parties.

(iii) Settlement of disputes through pre-institution mediation and settlement in accordance with the commercial courts, commercial division and commercial appellate division of High Courts (Amendment) Act 2018, No. 28 of 2018 Chapter IIIA.

(e) Settlement of Disputes: Notwithstanding any reference to arbitration herein, a. the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and The Procurement agency shall pay the Supplier any monies due to the Supplier.

10. Consignee details (Place of Delivery, Installation, Commissioning) ICMR-National Institute for Pre-Clinical Research, Hyderabad

11. Insurance: Unless otherwise instructed, the supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the following manner:

(a) In case of supply of goods on Consignee site basis, the supplier shall be responsible till the entire stores contracted for arrival in good condition at destination. The transit risk in this respect shall be covered by the Supplier by getting the stores duly insured. The insurance cover shall be obtained by the Supplier and should be valid till 3 months after the receipt of goods by the Consignee.

(b) If the Equipment is not commissioned and handed over to the consignee within 3 months, the insurance will be got extended by the supplier at their cost till the successful installation, testing, commissioning and handing over of the goods to the consignee. In case the delay in the installation and commissioning is due to handing over of the site to the supplier by the consignee, such extensions of the insurance will still be done by the supplier, but the insurance extension charges at actual will be reimbursed.

(c) Insurance would be borne by the Supplier. Insurance Certificate for 110% of the value to be insured in favour of Indian Council of Medical Research, covering all risks basis for the goods from supplier/ manufacturer warehouse to consignee warehouse.

12. If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the purchaser/consignee shall, without prejudice to other rights and remedies available to the purchaser/consignee under the contract, deduct from the contract price, as liquidity damages, calculated individually on each delayed performance of the contract including delivery, installation, non-submission of documents, etc. a sum equivalent to 0.5% per week of delay or part thereof until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached purchaser may consider termination of the contract. Since the Liquidated damages are in virtue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be deducted from the Supplier.

13. GST will be applicable as per the latest GoI notification.

14. Delivery of Equipment means Supply, Installation, Testing and Commissioning of Equipment.

15. Following categories of Sellers are exempted from Years of Experience and Turnover:

(a) Micro and Small Enterprises who are manufacturer of the Primary Product Category and give specific confirmation to this effect at the time of bid submission and whose credentials are validated online through Udyam Registration/ Udyog Aadhaar (as validated by Government from time to time) and through uploaded

supporting documents.

(b) Start-ups as recognized by Department of Industrial Policy and Promotion (DIPP).

16. The customised specification is as detailed :

S. No	Complete Description of Items [Use separate sheet if required]	SIZE	Quantity Required
1	REFURBISHMENT OF PYLON (NIPCR NEW LOGO)	84" X 31"	1
	MATERIALS : 3MM NEW ACP WITH 3MM ACRYLIC PAINTED WALLING LETTERS (NIPCR) & ROUTER CUT ACP WITH 5MM ACRYLIC LETTERS LIGHTED FROM BACKSIDE (SMALL LETTERS). INTERNAL ILLUMINATION WITH INTERONE 1.2 WT LEDS & POWERUNITS.		
2	LED LIT BOARD ON ADMIN BLOCK (NEW)	23.5' X 3.5'	1
	MATERIALS : MS PAINTED FRAMEWORK WITH 3MM ACP, 3MM ACRYLIC PAINTED WALLING LETTERS WITH 10MM FOAM BACK CLOSING. INTERNAL ILLUMINATION WITH INTERONE 1.2 WT LEDS & POWERUNITS.		
3	VINYL PRINT ON AUDITORIUM TABLE	16' X 3'	1
	MATERIALS: ECO-SOLVENT VINYL PRINT WITH MATT LAMINATION.		
4	VINYL PRINT ON PODIUM		4
	MATERIALS: ECO-SOLVENT VINYL PRINT WITH MATT LAMINATION.		
5	VINYL PRINT FOR LABOUR WAGES LIST	8' X 4'	1
	MATERIALS: ECO-SOLVENT VINYL PRINT WITH MATT LAMINATION.		
6	SUPPLY OF VINYL PRINT FOR DIRECTIONAL BOARD	12' X 4'	10
	MATERIALS: 3MM ACP WITH ECO-SOLVENT VINYL PRINT WITH MATT LAMINATION AND FIXING ON THE EXISTING MS BOARDS		
7	VINYL PRINT FOR WAYFINDING	45" X 13"	8
	MATERIALS: ECO-SOLVENT VINYL PRINT WITH MATT LAMINATION.		
8	LED LIT BOARD - NIPCR ON ARCH	27' X 4', 27'x4', 18'x4', And 8'x4'	1Job
	MATERIALS : MS FRAMEWORK WITH 3MM ACP & 3MM ACRYLIC PAINTED WALLING LETTERS (NIPCR) & ROUTER CUT ACP WITH 5MM ACRYLIC LETTERS LIGHTED FROM BACKSIDE (SMALL LETTERS). INTERNAL ILLUMINATION WITH INTERONE 1.2 WT LEDS & POWERUNITS.		
9	NON LIT SIGN @ DIRECTOR'S OFFICE	4' X 1.5'	1
	MATERIALS: LASERCUT PAINTED ACRYLIC LETTERS ON 10MM THICK LASERCUT ACRYLIC BACKGROUND.		
10	NON LIT SIGN @ DIRECTOR'S CABIN	4' X 1.5'	1
	MATERIALS: LASERCUT PAINTED ACRYLIC LETTERS ON 10MM THICK LASERCUT ACRYLIC BACKGROUND.		

The Size is measured in Inches and Feet respectively.

Most Important :

1. The bidder may visit the buyer location to assess the requirement before participation in the bid.

2. The successful bidder has to provide the sample text picture view before executing the work.

3. In case of additional requirement of similar kind arise, the bidder may agree to supply the item on the existing price value under the provision of option clause (50%).

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their

Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---